




twenty5 21



The largest two-way speaker in the range, the **twenty5.24***i* delivers compelling life-like performances with realism, precision, bite and power. Even in medium-to-large listening rooms, its seamlessly integrated drivers and *ATL*[™] saturate the space with music, giving you a hi-fidelity experience like no other in a slender and graceful cabinet design that will delight your senses without dominating your room. With the grilles in place, the **twenty5.24***i* produces a sound that many could mistake for that of a three-way speaker.





Choosing the right twenty5*i* model for your room size

twenty5 👫

Freq response Sensitivity	28Hz – 25kHz 86.5dB 1W 1m
Rec. amp power	30 - 150W
Effective ATL™	2.4m 7.8ft
Impedance	8 Ohm
Drive units	LF PMC 5.5"/140mm long-throw g-weave [™] cone with cast alloy chassis
	HF PMC/SEAS®, 19mm twenty5 <i>i</i> series, SONOMEX™ fabric soft dome,
	Ferrofluid cooled, with 34mm surround and dispersion grille
Crossover freq.	1.7kHz
Input connectors	One pair 4mm binding posts
Dimensions	H 907mm 35.7" (+20mm spikes)
	W 162mm 6.4" (238mm incl. plinth bars)
	D 330mm 13" (+9mm grille)
Weight	15kg 33 lbs ea.
Finishes	Oak, Walnut, Diamond black & Silk white



twenty5 🔼

Freq response	27Hz - 25kHz
Sensitivity	89dB 1W 1m
Rec. amp power	30 - 200W
Effective ATL™	3m 9.8ft
Impedance	8 Ohm
Drive units	LF PMC 6.5"/170mm long-throw g-weave [™] cone with cast alloy chassis
	HF PMC/SEAS®, 19mm twenty5 <i>i</i> series, SONOMEX™ fabric soft dome,
	Ferrofluid cooled, with 34mm surround and dispersion grille
Crossover freq.	1.7kHz
Input connectors	One pair 4mm binding posts
Dimensions	H 1015mm 40" (+20mm spikes)
	W 192mm 7.6" (275mm incl. plinth bars)
	D 419mm 16.5" (+9mm grille)
Weight	23kg 50.6 lbs ea.
Finishes	Oak, Walnut, Diamond black & Silk white



